


Message

---

**From:** McLaughlin, Don [Mclaughlin.Don@epa.gov]  
**Sent:** 6/21/2021 6:52:10 PM  
**To:**    
**CC:** Wagner, Christine [Wagner.Christine@epa.gov]  
**Subject:** Fwd: Shiloh Church Road - Limited Evaluation Report  
**Attachments:** image001.png; image002.png; image003.png; image004.jpg; image001.png; image002.png; image003.png; image004.jpg; DTN 0168 - LER - Shiloh Church Road Removal Site - FINAL.pdf

Hey 

Chris has asked me to look through the attached TT Report regarding the construction of a concrete cover/pad over the drum area on Property 1. I wanted to pass it along to you to see if you could do some research, when you have an opportunity, on possible local vendors/vendors who may have access to the materials identified in the Report.

Thanks-  
Don

Don McLaughlin  
Federal On-Scene Coordinator  
EPA Region 3  
[215-316-0280](tel:215-316-0280)


Begin forwarded message:

**From:** "Wagner, Christine" <Wagner.Christine@epa.gov>  
**Date:** June 21, 2021 at 9:11:44 AM EDT  
**To:** "McLaughlin, Don" <Mclaughlin.Don@epa.gov>  
**Subject:** Fwd: Shiloh Church Road - Limited Evaluation Report

Begin forwarded message:

**From:** "Clark, Kevin" <clark.kevin@epa.gov>  
**Date:** June 8, 2021 at 2:39:03 PM EDT  
**To:** "Wagner, Christine" <Wagner.Christine@epa.gov>  
**Subject:** FW: Shiloh Church Road - Limited Evaluation Report

Good afternoon Chris,

Attached is s updated limited evaluation report for the proposed drum area cover. I have reviewed it and I believe it is in line with the changes we requested. Let me know if you would like any additional changes to be made before signature.

Best,  
Kevin

**Kevin Clark**  
On-Scene Coordinator

U.S. EPA Region III  
304-234-0271

**From:** Nonresponsive based on revised scope Nonresponsive Based on Revised Scope  
**Sent:** Thursday, May 27, 2021 15:00  
**To:** Clark, Kevin <clark.kevin@epa.gov>  
**Cc:** Nonresponsive based on revised scope Nonresponsive Based on Revised Scope Nonresponsive based on revised scope  
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope  
**Subject:** RE: Shiloh Church Road - Limited Evaluation Report

Kevin,

Please find the attached Limited Evaluation Report for the concrete cover. Let me know if there is anything else you need.

Thank you,

Nonresponsive based on revised scope AK, MD, DE, PA, NY, NJ, MT)  
Geotechnical Engineer II  
**Direct:** Nonresponsive based on revised scope **Cell:** Nonresponsive based on revised scope **Main:** Nonresponsive Based on Revised Scope  
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

## Nonresponsive Based on Revised Scope

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*

Please consider the environment before printing. [Read more](#)

**From:** Clark, Kevin <clark.kevin@epa.gov>  
**Sent:** Wednesday, May 19, 2021 1:07 PM  
**To:** Nonresponsive based on revised scope Nonresponsive Based on Revised Scope  
**Subject:** RE: Shiloh Church Road - Limited Evaluation Report

**⚠ CAUTION:** This email originated from an external sender. Verify the source before opening links or attachments. ⚠

Good afternoon

Thank you again for getting the limited evaluation report to us early. After reviewing the report, please make the following corrections:

## Ex. 5 Deliberative Process (DP)

# Ex. 5 Deliberative Process (DP)

Thank you for the hard work,

**Kevin Clark**

On-Scene Coordinator  
U.S. EPA Region III  
304-234-0271

---

**From:** Clark, Kevin

**Sent:** Friday, May 07, 2021 17:04

**To:** Nonresponsive based on revised scope

**Cc:** Nonresponsive based on revised scope

Nonresponsive based on revised scope

Nonresponsive Based on Revised Scope

Nonresponsive based on revised scope

Nonresponsive Based on Revised Scope

**Subject:** RE: Shiloh Church Road - Limited Evaluation Report

Received, thank you.

**Kevin Clark**

On-Scene Coordinator  
U.S. EPA Region III  
304-234-0271

---

**From:** Nonresponsive based on revised scope

Nonresponsive Based on Revised Scope

**Sent:** Tuesday, May 04, 2021 8:17

**To:** Clark, Kevin <clark.kevin@epa.gov>

**Cc:** Nonresponsive based on revised scope

Nonresponsive Based on Revised Scope

Nonresponsive based on revised scope

Nonresponsive based on revised scope

Nonresponsive Based on Revised Scope

**Subject:** Shiloh Church Road - Limited Evaluation Report

Good morning Kevin,

Please find attached the draft limited evaluation report for a concrete cover in the former drum area of the Shiloh Church Road Removal Site. Please feel free to contact me if you have any questions.

Thank you,

Nonresponsive based on revised scope (AK, MD, DE, PA, NY, NJ, MT)  
Geotechnical Engineer II  
Direct Nonresponsive based on revised scope | Cell: Nonresponsive based on revised scope Nonresponsive Based on Revised Scope  
5988  
Nonresponsive based on revised scope Nonresponsive Based on Revised Scope

Nonresponsive Based on Revised Scope

*This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.*

Please consider the environment before printing. [Read more](#)